1 mL Gastight Syringe Model 1001 RN, Large Removable Needle, 22 gauge, 2 in., point style 2

Specification Sheet (Part/REF # 81330)



The 1000 series syringes are a mid-volume Gastight syringe. This series of syringes is ideal for dispensing volumes from 1 mL up to 100 mL. A variety of different terminations and needle options are available in this series.

Product Specifications

| Volume | 1 mL |
|--|---|
| Syringe Type | Gastight |
| Syringe Series | 1000 |
| Termination | Removable Needle (RN) |
| Needle | Large RN |
| Gauge | 22 gauge |
| Point Style | 2: Curved, Beveled |
| Needle Length | 2 inch (51 mm) |
| Fluid Path | SST, Borosilicate glass, PTFE |
| Autoclavable | Yes |
| Gas Sterilizable | Yes |
| | |
| Pressure | 200 psig (13.8 bar) |
| Pressure Maximum Temperature | 200 psig (13.8 bar) 80°C / 176°F |
| | |
| Maximum Temperature | 80°C / 176°F |
| Maximum Temperature Minimum Temperature | 80°C / 176°F 10°C / 50°F |
| Maximum Temperature Minimum Temperature Barrel Inner Diameter | 80°C / 176°F 10°C / 50°F 0.181 inches (4.61 mm) |
| Maximum Temperature Minimum Temperature Barrel Inner Diameter Barrel Outer Diameter | 80°C / 176°F 10°C / 50°F 0.181 inches (4.61 mm) 0.355 inches (9.02 mm) |
| Maximum Temperature Minimum Temperature Barrel Inner Diameter Barrel Outer Diameter Needle Inner Diameter | 80°C / 176°F 10°C / 50°F 0.181 inches (4.61 mm) 0.355 inches (9.02 mm) 0.0161 inches (0.41 mm) |
| Maximum Temperature Minimum Temperature Barrel Inner Diameter Barrel Outer Diameter Needle Inner Diameter Needle Outer Diameter | 80°C / 176°F 10°C / 50°F 0.181 inches (4.61 mm) 0.355 inches (9.02 mm) 0.0161 inches (0.41 mm) 0.0283 inches (0.72 mm) |

Specifications are subject to change without notice $\ensuremath{\mathsf{S}}$

Spec. Version B

https://www.hamiltoncompany.com/syringes/81330