500 μL, Model 1750 LT Syringe, Needles Sold Separately

Specification Sheet (Part/REF # 81201)



The VDRL Antigen Syringe is designed to simplify the dispensing steps for VDRL antigen testing. The test is a microscopic nontreponemal flocculation test to be used for the detection of reagin.

Product Specifications

| • | |
|--|---|
| Volume | 500 μL |
| Syringe Type | Gastight |
| Syringe Series | 1700 |
| Termination | Luer Tip (LT) |
| Needle | Kel-F Hub |
| Gauge | No Needle Included |
| Point Style | No Needle Included |
| Needle Length | No Needle Included |
| Fluid Path | Borosilicate glass, PTFE |
| A. A. alamakila | Yes to 115 °C |
| Autoclavable | res to 115 °C |
| Gas Sterilizable | Yes Yes |
| | |
| Gas Sterilizable | Yes |
| Gas Sterilizable Pressure | Yes 700 psig (48.3 bar) |
| Gas Sterilizable Pressure Maximum Temperature | Yes 700 psig (48.3 bar) 80°C / 176°F |
| Gas Sterilizable Pressure Maximum Temperature Minimum Temperature | Yes 700 psig (48.3 bar) 80°C / 176°F 10°C / 50°F |
| Gas Sterilizable Pressure Maximum Temperature Minimum Temperature Barrel Inner Diameter | Yes 700 psig (48.3 bar) 80°C / 176°F 10°C / 50°F 0.128 inches (3.26 mm) |
| Gas Sterilizable Pressure Maximum Temperature Minimum Temperature Barrel Inner Diameter Barrel Outer Diameter | Yes 700 psig (48.3 bar) 80°C / 176°F 10°C / 50°F 0.128 inches (3.26 mm) 0.305 inches (7.75 mm) |

Specifications are subject to change without notice

https://www.hamiltoncompany.com/syringes/81201

Spec. Version B